
TENAX RF 2

PP bioriented net with quadrangular mesh.



Picture out of scale

PHYSICAL CHARACTERISTICS	TEST METHOD	UNIT	RF 2	NOTES
COMPOSITION			POLYPROPYLENE	-
MESH SHAPE			QUADRANGULAR	-
COLOUR			SILVER	-

DIMENSIONAL CHARACTERISTCS	TEST METHOD	UNIT		RF 1		NOTES
MD PITCH		mm		51.0		-
TD PITCH		mm		71.0		-
THICKNESS AT 2 kPa		mm		5.0		-
UNIT WEIGHT		g/m²		250		-
ROLL WIDTH		m	1.0	1.5	2.0	-
ROLL LENGTH		m	50.0	50.0	50.0	-
ROLL DIAMETER		m	0.30	0.30	0.30	-
ROLL WEIGHT		kg	14.2	21.4	28.5	-
INNER PACKAGING			,	PE BAG		
OUTER PACKAGING				-		

TECHNICAL CHARACTERISTCS	TEST METHOD	UNIT	RF 1	NOTES
MD TENSILE STRENGTH	GRI-GG1	kN/m	15.0	a, b
MD ELONGATION	GRI-GG1	%	15.0	a, b
TD TENSILE STRENGTH	GRI-GG1	kN/m	22.0	a, b
TD ELONGATION	GRI-GG1	%	12.0	a, b

NOTES:

a) MD: machine direction TD: transversal direction

b) GRI-GG1: 50 mm/min

The data contained in this publication are based on the knowledge available at the time of printing and may be subjected to amendments due to changes of the methods of testing and/or manufacturing. All dimensions are reported as typical values.

GEN 024,8 - E - 07/17



TENAX SpA Via dell'Industria, 3 23897 Viganò (LC) Tel. +39 039.9219300 Fax +39 039.9219290 customer.service@tenax.net



